Brittonia, 41(4), 1989, pp. 430–444.
© 1989, by the New York Botanical Garden, Bronx, NY 10458-5126

INDEX TO VOLUME 41

New names and combinations and the pages of publication are printed in **boldface**.

Abarema 179
Abelia 112
Abuta: *grandifolia* 96, 126; *pahnii* 126
Abutilon 185
Acacia 173; subg. *Phyllodineae* 173; *paniculata* 127
Acanthaceae 90, 329–334, 379–384, 386
Acanthospermum australe 90
Achyrocline yunckeri 218
Aciotis dichotoma 126
ACKERLY, DAVID D., WM. WAYT THOMAS, C. A. CID FERREIRA & JOSÉ R. PIRANI, The forest-cerrado transition zone in southern Amazonia: results of the 1985 Projeto Flora Amazônica expedition to Mato Grosso 113–128
Aconitum insigne 154
Acosmium: *dasycarpum* var. *glabratum* 125; *nitens* 93
Actinidiaceae 28–31
Adams, Preston fig. 279
Adiantum: *latifolium* 390, 391; *obliquum* 390, 391; *serrato-dentatum* 89; *terminatum* 390; *tomentosum* 390
Aegiphila integrifolia 100
Aeschynomene: *falcata* 93; *pratensis* var. *caribaea* 85, 93
Agdestis 399
Aiphanes 158; *caryotifolia* 158; *deltoidea* 156, 158; **tricuspidata 156**–159, fig. 157
Aiphanes tricuspidata (Palmae), a new species from Colombia and Ecuador, by Finn Borchsenius, Rodrigo G. Bernal & Martamónica Ruiz 156–159
Aizoaceae 90
Alcea 149
Alibertia: *amplexicaulis* 125; *concolor* 121, 125; *edulis* 98, 127; *hadrantha* 126; *myrcifolia* 126; *verrucosa* 128
Alismataceae 90
Allosidastrum 185
Alsine polygonoides 154
Althaea 149
ALVERSON, WILLIAM S., *Quararibea* (Bombacaceae): five new species from moist and wet forests of Costa Rica and Panama 61–74
Amaioua guianensis 98
Amauroderma 9
Amazon: pteridophyte species diversity 388–395
Amorphophallus titanum 225
Amphilophium paniculatum var. *imatacense* 127
Anacardiaceae 90
Anacardium corymbosum 125
Anadenanthera: *colubrina* 125; *peregrina* 126
Ananas 91
Anatomy, wood: *Obolinga* 178–182
Anaxagorea: *dolichocarpa* 126; *javanica* 360
Andira: *cuiabensis* 125; *inermis* subsp. *riedelii* 127
Andromeda serrata 16
Andropogon: *bicornis* 85, 97; *hypogynus* 97; *lateralis* 86, 97; *leucostachys* 97; *selloanus* 97; *ternatus* 97
Anemopaegma flavum 91
Aniseia cernua 92
Anisomeria 399, 400
Annona 90, 360; *cornifolia* 125; *crassiflora* 125; *hypoglauca* 90; *phaeaclades* 128
Annonaceae 356–378; Bocageae 356; Cymbopetalum 356, 360, 362, 363
Antennaria 53–60, 396–398; *acuminata* 56; *acuta* 60; *alborosea* 57; *alpina* 55, key 55; *angustifolia* 58; *arida* 57, *humilis* 58, subsp. *viscidula* 57; *aromatica* 54–56; *bracteosa* 56; *breitungii* 58; *callilepis* 396; *canadensis* 397; *chilensis* 59, var. *magellanica* 59; *chlorantha* 56; *concinna* 58; *concolor* 397; *confinis* 57; *corymbosa* 54, 55, 60; *dioica* var. *kernensis* 58, var. *rosea* 56; *elegans* 58; *exima* 396; *foliacea* var. *humilis* 58; *formosa* 56; *gaspensis* 54, 59; *hendersoni* 56; *howellii* 396–398, subsp. **canadensis** 396, **397**, subsp. *howellii* 396–397, subsp. **neodioica** 396, **397**, subsp. **petaloidea** 396, **397**; *imbricata* 56; *incarnata* 58; *isolepis* 59; *laingii* 58; *lanulosa* 56; *leontopodioides* 58; *leuchippi* 58; *macounii* 59; *maculata* 59; *magellanica* 59; *manicouagana* 59; *marginata* 54; *media* 55, key 55, 60; *microphylla* 53–56; *neglecta* 397, subsp. *howellii* 396, var. *howellii* 396, 397; *neodioica* 54, 396–398, subsp. *canadensis* 54, 396, 397, var. *gaspensis* 59, subsp. *howellii* 55, key 55, 396, subsp. *neodioica* 54, 396, 397, subsp. *petaloidea* 54, 396, 397, var. *petaloidea* 397; *oxyphylla* 56; *parlinii* 54; *parvifolia* 55, key 55; *pedicellata* 397; *petaloidea* 397; *plantaginifolia* 397; *polyphylla* 58; *pulchella* 54, 56; *pulvinata* 59, subsp. *albescens* 59; *racemosa* 54, 55, 397; *rosea* 53–60, key 55, var. *angustifolia* 58, subsp. **arida** 53, 56, key 56, **57**, subsp. **confinis** 53, 56, key 56, **57**–58, subsp. *divaricata* 56, var. *imbricata* 56, subsp. **pulvinata** 53, 55, key 56, **59**, subsp. *rosea* 55–57, key 56; *sansonii* 59; *scariosa* 57; *sedoides* 58; *sordida* 58; *speciosa* 56; *stenolepis* 397; *tomentella* 58; *umbrinella* 53, 54, 56, 60; *virginica* 397
Anthurium 90; *yunckeri* 218
Antrophyum cajenense 390
Apeiba 99
Apiaceae 234
Apocynaceae 90
Apocynum scopulorum 154
Aquifoliaceae 90
Arabis: *microphylla* 428; *philonipha* 154
Araceae 90, 218, 225
Archidendron 167, 169, 170

Brittonia, 41(4), 1989, pp. 430–444.
© 1989, by the New York Botanical Garden, Bronx, NY 10458-5126

INDEX TO VOLUME 41

New names and combinations and the pages of publication are printed in **boldface**.

Abarema 179
Abelia 112
Abuta: *grandifolia* 96, 126; *pahnii* 126
Abutilon 185
Acacia 173; subg. *Phyllodineae* 173; *paniculata* 127
Acanthaceae 90, 329–334, 379–384, 386
Acanthospermum australe 90
Achyrocline yunckeri 218
Aciotis dichotoma 126
ACKERLY, DAVID D., WM. WAYT THOMAS, C. A. CID FERREIRA & JOSÉ R. PIRANI, The forest-cerrado transition zone in southern Amazonia: results of the 1985 Projeto Flora Amazônica expedition to Mato Grosso 113–128
Aconitum insigne 154
Acosmium: *dasycarpum* var. *glabratum* 125; *nitens* 93
Actinidiaceae 28–31
Adams, Preston fig. 279
Adiantum: *latifolium* 390, 391; *obliquum* 390, 391; *serrato-dentatum* 89; *terminatum* 390; *tomentosum* 390
Aegiphila integrifolia 100
Aeschynomene: *falcata* 93; *pratensis* var. *caribaea* 85, 93
Agdestis 399
Aiphanes 158; *caryotifolia* 158; *deltoidea* 156, 158; **tricuspidata 156**–159, fig. 157
Aiphanes tricuspidata (Palmae), a new species from Colombia and Ecuador, by Finn Borchsenius, Rodrigo G. Bernal & Martamónica Ruiz 156–159
Aizoaceae 90
Alcea 149
Alibertia: *amplexicaulis* 125; *concolor* 121, 125; *edulis* 98, 127; *hadrantha* 126; *myrcifolia* 126; *verrucosa* 128
Alismataceae 90
Allosidastrum 185
Alsine polygonoides 154
Althaea 149
ALVERSON, WILLIAM S., *Quararibea* (Bombacaceae): five new species from moist and wet forests of Costa Rica and Panama 61–74
Amaioua guianensis 98
Amauroderma 9
Amazon: pteridophyte species diversity 388–395
Amorphophallus titanum 225
Amphilophium paniculatum var. *imatacense* 127
Anacardiaceae 90
Anacardium corymbosum 125
Anadenanthera: *colubrina* 125; *peregrina* 126
Ananas 91
Anatomy, wood: *Obolinga* 178–182
Anaxagorea: *dolichocarpa* 126; *javanica* 360
Andira: *cuiabensis* 125; *inermis* subsp. *riedelii* 127
Andromeda serrata 16
Andropogon: *bicornis* 85, 97; *hypogynus* 97; *lateralis* 86, 97; *leucostachys* 97; *selloanus* 97; *ternatus* 97
Anemopaegma flavum 91
Aniseia cernua 92
Anisomeria 399, 400
Annona 90, 360; *cornifolia* 125; *crassiflora* 125; *hypoglauca* 90; *phaeaclades* 128
Annonaceae 356–378; Bocageae 356; Cymbopetalum 356, 360, 362, 363
Antennaria 53–60, 396–398; *acuminata* 56; *acuta* 60; *alborosea* 57; *alpina* 55, key 55; *angustifolia* 58; *arida* 57, *humilis* 58, subsp. *viscidula* 57; *aromatica* 54–56; *bracteosa* 56; *breitungii* 58; *callilepis* 396; *canadensis* 397; *chilensis* 59, var. *magellanica* 59; *chlorantha* 56; *concinna* 58; *concolor* 397; *confinis* 57; *corymbosa* 54, 55, 60; *dioica* var. *kernensis* 58, var. *rosea* 56; *elegans* 58; *exima* 396; *foliacea* var. *humilis* 58; *formosa* 56; *gaspensis* 54, 59; *hendersoni* 56; *howellii* 396–398, subsp. **canadensis** 396, **397**, subsp. *howellii* 396–397, subsp. **neodioica** 396, **397**, subsp. **petaloidea** 396, **397**; *imbricata* 56; *incarnata* 58; *isolepis* 59; *laingii* 58; *lanulosa* 56; *leontopodioides* 58; *leuchippi* 58; *macounii* 59; *maculata* 59; *magellanica* 59; *manicouagana* 59; *marginata* 54; *media* 55, key 55, 60; *microphylla* 53–56; *neglecta* 397, subsp. *howellii* 396, var. *howellii* 396, 397; *neodioica* 54, 396–398, subsp. *canadensis* 54, 396, 397, var. *gaspensis* 59, subsp. *howellii* 55, key 55, 396, subsp. *neodioica* 54, 396, 397, subsp. *petaloidea* 54, 396, 397, var. *petaloidea* 397; *oxyphylla* 56; *parlinii* 54; *parvifolia* 55, key 55; *pedicellata* 397; *petaloidea* 397; *plantaginifolia* 397; *polyphylla* 58; *pulchella* 54, 56; *pulvinata* 59, subsp. *albescens* 59; *racemosa* 54, 55, 397; *rosea* 53–60, key 55, var. *angustifolia* 58, subsp. **arida** 53, 56, key 56, **57**, subsp. **confinis** 53, 56, key 56, **57**–58, subsp. *divaricata* 56, var. *imbricata* 56, subsp. **pulvinata** 53, 55, key 56, **59**, subsp. *rosea* 55–57, key 56; *sansonii* 59; *scariosa* 57; *sedoides* 58; *sordida* 58; *speciosa* 56; *stenolepis* 397; *tomentella* 58; *umbrinella* 53, 54, 56, 60; *virginica* 397
Anthurium 90; *yunckeri* 218
Antrophyum cajenense 390
Apeiba 99
Apiaceae 234
Apocynaceae 90
Apocynum scopulorum 154
Aquifoliaceae 90
Arabis: *microphylla* 428; *philonipha* 154
Araceae 90, 218, 225
Archidendron 167, 169, 170

Arcytophyllum ciliolatum 33
Arecaceae 90, 156–159, 185
Aristida: *capillacea* 97; *longifolia* 97; *torta* 84, 97
ARMBRUSTER, W. SCOTT, Three new species of *Dalechampia* (Euphorbiaceae) from Venezuelan Guayana 44–52
Arrabidaea 91; *cinnamomea* 127
Artanthe 297; *adenophylla* 298; *mollicoma* f. *major* 298; *ramiflora* 298; *trichoneura* 298
Arundinella hispida 97
Asia: *Thamnobryum* 41–43
Aspidosperma carapanauba 126
Aspilia lucidula 90
Asplenium: *pseudoangustum* 390; *radicans* 390; *serratum* 390, 391
Asteraceae 33, 35–40, 43, 53–60, 90–91, 218, 396–398, 424–428; Inuleae 53–60, 396–398; Mutisieae 35–40; Gnaphaliinae 53–60, 396–398
Asteranthaceae 131, 134
Asteranthos 131, 133–135; *brasiliensis* 131, 133, fig. 134
Astragalus amblytropis 428
Astrocaryum tucumoides 90
Augusta longifolia 125
Axonopus: sect. *Sulfatus* 97; *aureus* 97; *fissifolius* 97
Ayapana amygdalina 90
Azolla 112
Azollaceae 112
Bacillus 239
Bacopa: *laxiflora* 99; *monnierioides* 83, 99; *tweedii* 83, 99
Bactris 90
BALICK, MICHAEL J.—book review of *Passage of Darkness. The Ethnobiology of the Haitian Zombie*, by Wade Davis 52
Banisteriopsis pubipetala 95
Barbella pendula 172
Barbeuia 399
BARNEBY, RUPERT C., A review of *Lecointea* (Fabaceae: Swartzieae) in South America 351–355
———.—book review of *Plants of Dhofar. The Southern Region of Oman. Traditional, Economic and Medicinal Uses*, by Anthony G. Miller & Miranda Morris 103–104
———.—book review of *The Field Naturalist. John Macoun, the Geological Survey, and Natural Science*, by W. A. Waiser 334
———, *Obolinga*, a new genus of Mimosaceae tribe Ingeae from Hispaniola 167–172
BARNETT, HORACE L., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 236
BARNETT, LISA C. See DORR & BARNETT 404–423
Barringtonia: *acutangula* 122, 133; *asiatica* 132; *racemosa* 132
Bartramiaceae 218
Bastardiastrum 185
Bat: short-tailed fruit 185–186; vampire 185
BATES, DAVID M., LAURENCE J. DORR & ORLAND J. BLANCHARD, JR., Chromosome numbers in *Callirhoe* (Malvaceae) 143–151
BAYER, RANDALL J., A taxonomic revision of the *Antennaria rosea* (Asteraceae: Inuleae: Gnaphaliinae) polyploid complex 53–60
———, Nomenclatural rearrangements in *Antennaria neodioica* and *A. howellii* (Asteraceae: Inuleae: Gnaphaliinae) 396–398
BECK, STEPHAN G. See HAASE & BECK 80–100
Begoniaceae 218
Begonia yunckeri 218
Beiselia key 26
Beliceodendron 352
Bellucia 95; *grossularioides* 95, 126; *pentamera* 126
Beloperone riparia 381
Berberidaceae 360
BERGMANN, FREDRICK L., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 236–238
BERNAL, RODRIGO G. See Borchsenius, Bernal & Ruiz 156–159
Bertholletia 122; *excelsa* 122, 126, 132
Bibliography of Truman G. Yuncker, edited by Barbara Meurer-Grimes 221–224
BIGELOW, CATHERINE SHORT, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 238–239
Bignoniaceae 91
Biographical sketch of Truman G. Yuncker 216–218
Blanchard, Orland J., Jr. See Bates, Dorr & Blanchard 143–151
Blechnum serrulatum 89
Bocageopsis mattogrossensis 126
Bolandra oregana 428
Bolbitis 390
Bolivia: savanna vegetation 80–100
Bombacaceae 61–74, 218
Bonafousia siphilitica 90
BOOM, BRIAN M., A new species of *Pagamea* (Rubiaceae) from the Brazilian Guayana 129–130
———, New species of *Ternstroemia* (Theaceae) from the Guayana Highland 136–142
Boraginaceae 91
BORCHSENIUS, FINN, RODRIGO G. BERNAL & MARTAMÓNICA RUIZ, *Aiphanes tricuspidata* (Palmae), a new species from Colombia and Ecuador 156–159
Borreria: *alata* 98; *capitata* 98; *gracillima* 125
Boswellia 104
Bowdichia 93
BRAKO, LOIS—book review of *Lichen Physiology and Cell Biology*, edited by D. H. Brown 187–188
BRASHEAR, JULIA JOYCE HARPER, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 239–240
Brazil: *Dalechampia* 1–9; *Justicia* 379–384; *Pagamea* 129–130
Bredemeyera lucida 98
Bromeliaceae 33, 91, 218
Bromelia serra 91
Brosimum: *gaudichaudii* 125; *guianense* 126; *lactescens* 126
Brossaea: *mucronata* 15; *secunda* 13
BRUNSFELD, STEVEN J. & GUY L. NESOM, *Erig-*

eron salmonensis (Asteraceae), a rare new species from Idaho 424–428
Buchnera juncea 99
Bulbostylis: *capillaris* 92; *conifera* 92; *junciformis* 84, 92; *papillosa* 84
Burmannia capitata 83, 91
Burmanniaceae 91
Bursera key 26, 27
Burseraceae 17–27, key to neotropical genera 26–27; Boswellieae 18; Bursereae 17, 18, key 26; Canarieae 17, 18, 25–26, key 26; Crepidospermeae 17; Garugeae 17; Hedwigieae 17; Protieae 17–25, fig. 22, key 26; Garuginae 17; Protiinae 17
Byrsonima: *coccolobifolia* 87, 95, 127; *crassifolia* 83, 95; *fagifolia* 125; *indorum* 125; *laxiflora* 125; *orbignyana* 95; *umbellata* 125; *verbascifolia* 127
Byttneria 99; *genistella* 86, 99
Cabomba piauhyensis 96
Cactaceae 91, 218
Caesalpiniaceae 91
Calathea 95, 166; Ornata group 164–166; *gymnocarpa* 166; *multicincta* 166; **steyermarkii 164**–166, fig. 165
Calathea steyermarkii, a new Venezuelan species in the Ornata group (Marantaceae), by Helen Kennedy & Kenneth Nagata 164–166
Calea: *coriacea* 90; *papposa* 90
CALLEJAS, RICARDO, Studies in Neotropical Piperaceae I. A new species of *Piper* from Ecuador 325–327
———, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 241
——— & DAVID M. JOHNSON, Piperaceae types from the T. G. Yuncker Herbarium (DPU) now filed in the New York Botanical Garden Herbarium (NY) 297–324
Calliandra: *parviflora* 125; *yunckeri* 219
Callirhoe 143–151; *alcaeoides* 143–147; *bushii* 143–146, 148–150; *digitata* 143–146, var. *stipulata* 144, f. *alba* 144; *involucrata* 144, 147, 149, 150, var. *involucrata* 144–146, 148, var. *linearilobа* 144–149, var. *tenuissima* 143–146; *leiocarpa* 144–149; *linearilobа* 144, 146; *papaver* 144–150; *pedata* 144–149; *scabriuscula* 144, 146; *triangulata* 143–146
Campyloneurum: *phyllitidis* 390; *repens* 390
Cananga 363
Canarium 23
Caperonia 93
Capparaceae 91, 218
Capparis yunckeri 218
Caprifoliaceae 112
Cardiopetalum calophyllum 87, 90, 126
Cardiospermum halicacabum 127
Cardonaea 35
Carduus: *pulchellus* 154; *truncatus* 154
Careya arborea 132
Caribbean: *Ipomoea* 75–79
Cariniana estrellensis 132
Carollia 186; *perspicillata* 186
Carpenteria 337, key 337
Caryocaraceae 121
Caryocar brasiliense 121, subsp. *brasiliense* 125
Casearia 94
Cassia: *fastuosa* var. *calva* 126; *grandis* 126
Catha edulis 327
Cathormion polyanthum 128
Cattleya violacea 126
Cayaponia 92
Ceanothus americanus 246
Cecropia 186; *concolor* 96
Cecropiaceae 185
Celastraceae 327
Cenostigma macrophyllum 125
Centrosema: *bifidum* 93; *brasilianum* 93, 127
Cerastium pilosum 154
Cercocarpus ledifolius var. *intercedens* 427
Cereus yunckeri 218
Chamaebatiaria 337
Chamaecrista: *desvauxii* var. *brevipes* 91, var. *modesta* 125; *nictitans* var. *paraguariensis* 91
Chloroleucum 179, 181
Chomelia: *pohliana* 127; *ribesioides* 125
Christophersen, Erling fig. 226
Chromosome numbers in *Callirhoe* (Malvaceae), by David M. Bates, Laurence J. Dorr & Orland J. Blanchard, Jr. 143–151
Chromosome numbers of *Asteranthos* and the putatively related Lecythidaceae, by Robert R. Kowal 131–135
Chrysobalanaceae 91
Chrysopsis arida 154
Chydenanthus excelsa 132
Cibirhiza 104
Cipura paludosa 94
Cissampelos ovalifolia 127
Clarisia: *ilicifolia* 126; *racemosa* 126
Cleistopholis 363
Cleome 91
Clidemia: *bullosa* 95; *capitellata* 95; *sericea* 95
Clitoria guianensis 127
Clusiaceae 91, 121
Clytostoma sciuripabulum 128
Cnemidaria speciosa 390, 391
Coccoloba 98
Cochlospermaceae 91
Cochlospermum vitifolium 91
Codonocarpus 400
Coelorachis balansae 97
Cojoba 167, 169, 170, 173, 174, 178, 179, 181, 182; *arborea* figs. 180 & 181
Colombia: *Aiphanes* 156–159; *Mendoncia* 329–334; *Saurauia* 28–31
COLTEN, JANE, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 242
Combretaceae 92
Combretum: *jacquinii* 92; *laxum* 92
Commelinaceae 92
Commiphora key 26, 27, 104
Compositae: See Asteraceae
Compsoneura 160–163; sect. *Compsoneura* 163; *atopa* 160; *debilis* 161, 163; **rigidifolia 160**–161, fig. 161; **schultesiana** 160, **161**–162, fig. 162; *sprucei* 161, 163
Connaraceae 92
Connarus 92
Convolvulaceae 75–79, 92
Copaifera 91

Copernicia alba 85
Coprinus 240
Cordia nodosa 126
Corynostylis 100
Corythophora alta 132
Costa Rica: *Quararibea* 61–74
Costus arabicus 87, 100
Couepia: *grandiflora* 125; *paraensis* subsp. *cerradoana* 127
Couroupita guianensis 132, 133
Coussapoa villosa 126
Coussarea: *hydrangeaefolia* 98, 125; *platyphylla* 127
Coutoubea ramosa 94
Cremastosperma 90; *pedunculatum* 126
Crepidospermum 17–20, key 26–27; sect. *Hemicrepidospermum* 19; *goudotianum* 19, 126; *rhoifolium* 19
CRONQUIST, ARTHUR—book review of *100 Families of Flowering Plants. Second Edition*, by Michael Hickey & Clive King 174
———.—book review of *Prospects in Systematics*, edited by D. L. Hawksworth 186–187
———.—book review of *Trees, Shrubs, and Woody Vines of Northern Florida and Adjacent Georgia and Alabama*, by Robert K. Godfrey 384
———.—book review of *Woody Plants—Evolution and Distribution Since the Tertiary*, edited by Friedrich Ehrendorfer 384
Crotalaria: *pilosa* 93; *sagittalis* 93
Croton 93; *trinitatis* 93
Cryptantha salmonensis 428
Ctenitis protensa 390
Cucurbitaceae 92
Cupania 99
Cuphea: *melvilla* 95; *odonellii* 95; *repens* 95
Curatella americana 83, 87, 93
Cuscuta 196, 200–202, 221–225, 234, 248, 250, 258, 269, 271, 285; *yunckeriana* 219
Cuscutaceae 219, 221, 222, 225
Cybistax antisyphilitica 91
Cyclodium: *meniscioides* 89, 390, 391; *trianae* 390–392
Cydista aequinoctalis 127
Cylindrokelupha 167, 170; *bubalina* 169
Cymbopetalum 362
Cynodon dactylon 97
Cyperaceae 92–93, 245
Cyperus: *giganteus* 127; *haspan* 92, 127; *laetus* 92; *luzulae* 92; *mutisii* 92; *prolixus* 92; *sphacelatus* 92; *surinamensis* 92
Cystopteris fragilis 428
Cystostiptoporus 9
Dacryodes 17, 18, 23, 25, 26, key 26; sect. *Archidacryodes* 26; sect. *Dacryodes* 26; sect. *Tenuipyrena* 26; **cuspidata** 17, 18, 25–26; *glabra* 18, 25; *microcarpa* 25, 126
Daily, Fay Kenoyer fig. 243
DAILY, FAY KENOYER, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 242–244
DAILY, WILLIAM A., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 244
Dalbergia riedelii 93
Dalea jamesii 349
Dalechampia 1–9, 44–52; sect. *Dalechampia* 1, 3, 5, 6, 8; sect. *Dioscoreifoliae* 44, 49, 51; sect. *Rhopalostylis* 44, 46; sect. *Scandentes* 3, 5, 8; sect. *Tiliifoliae* 1, 3; sect. *Triphyllae* 1, 8, 51; subsect. *Dalechampia* 1, 5, 8; *affinis* 1, 3; **armbrusteri** 1, 3–6, fig. 4; **attenuistylus** 44–47, fig. 45; *brasiliensis* 8; *brownsbergensis* 1, 3, 6; **fernandesii** 1–3, fig. 2; *ilheotica* 3, 5, 6; **megacarpa** 44, 47–49, fig. 48; *micrantha* 46; *olympiana* 46; **papillistigma** 44, 49–51, fig. 50; *parvibracteata* 44, 47; *pentaphylla* 49; *scandens* 3, 8; *schottii* 49; *tiliifolia* 1, 3, 5, 6; *triphylla* 6; **viridissima** 1, 6–8, fig. 7
DALY, DOUGLAS C., Studies in Neotropical Burseraceae. II. Generic limits in New World Protieae and Canarieae 17–27
Danaea: *elliptica* 390, 391; *moritziana* 390–392
Davilla kunthii 93
Dawson, Ray Fields fig. 228
DAWSON, RAY FIELDS, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 244–246
Declieuxia verticillata 128
Desmodium: *adscendens* 93; *axillare* var. *axillare* 94; *sclerophyllum* 94
Desmodus rotundus 185
Desmoncus polyacanthos 90
Desmos 360
Desmoscelis villosa 84, 95
Dhofaria 104
Dialium guianensis 126
Dicarpidium 404, 413
Dichorisandra 92
Dicranoglossum desvauxii 390
Digitaria: *ciliaris* 97; *horizontalis* 97
Dilleniaceae 93
DILLON, MICHAEL O. See Sagástegui-Alva & Dillon 32–34
Dimorphandra mollis 125
Dioclea: *guianensis* 94; *schottii* 126
Diodia: *kuntzei* 98; *multiflora* 99; *radula* 99
Dioscorea 256
Dipteryx alata 94
Diptychandra aurantiaca 126
Discolobium: *junceum* 128; *pulchellum* 128
Disepalum 356–378, figs. 357 & 359, key 364; **aciculare** 356–358, fig. 359, 361, key 364, map 369, **372**–373, fig. 374, 376; *acuminatissimum* 361, key 364, map 369, 372; *anomalum* 357–363, figs. 357 & 359, key 364, map 369, 375–377; *coronatum* figs. 357 & 359, 358, 362, key 364, map 369, 370–372, 376, 377; *grandiflorum* 375, 376; *longipes* figs. 357 & 359, 358, 361, 362, key 364, map 369, 372–376; **petelotii** 356, figs. 357 & 359, 359, 361, 362, key 364, **364**–367, map 365; **plagioneurum** 356, figs. 357 & 359, 361, 362, key 364, map 365, **366**–368; *platypetalum* figs. 357 & 359, 358, 360, 362, key 364, map 369, 369–370, 377; *pulchrum* figs. 357 & 359, 360–362, key 364, map 365, 367–368, var. *angustifolium* 367, 368, var. *pulchrum* 368
Distictella: *elongata* 91; *magnoliifolia* 91
Distribution maps: Bolivian savannas 81; *Disepalum*: *aciculare* 369, *acuminatissimum* 369, *anomalum* 369, *coronatum* 369, *longipes* 369,

petelotii 365, *plagioneurum* 365, *platypetalum* 369, *pulchrum* 365; *Erigeron salmonensis* 427; *Ipomoea*: *hederifolia* & *praematura* 78; *Jamesia*: *americana* & *tetrapetala* 339; *Lecointea*: *amazonica*, *marcano-bertii*, *peruviana* vars. *lasiogyne* & *peruviana* 354; *Melochia*: *adenodes*, *corymbosa* & *oaxacana* 405; Yuncker expeditions to Honduras 227; Yuncker expeditions to South Pacific 231
DORR, LAURENCE J.—book review of *Malvaceae of Mexico*, by Paul A. Fryxell 184–185
———. See Bates, Dorr & Blanchard 143–151
——— & LISA C. BARNETT, A revision of *Melochia* section *Physodium* (Sterculiaceae) from Mexico 404–423
Dorstenia tubicina 96
Droseraceae 93
Drosera montana 93
Duguetia marcgraviana 126
Duidaea 38
Duroia sprucei 126
Ebenopsis 179
Echinochloa crusgalli mutica 153
Echinodorus 90; *bolivianus* 127; *grisebachii* 86, 90; *subalatus* subsp. *subalatus* 127
Echinolaena gracilis 97
ECKENWALDER, JAMES E., A new species of *Ipomoea* section *Quamoclit* (Convolvulaceae) from the Caribbean and a new combination for a Mexican species 75–79
Eclipta prostrata 91
Ecuador: *Aiphanes* 156–159; *Piper* 325–327
Edwinia 336; *americana* 341; *californica* 336, 346; *macrocalyx* 336, 344
Eichhornia fig. 86; *azurea* 85, 86, 98
Elaphoglossum 390
Eleocharis 92; *confervoides* 85, 92; *elegans* 127; *filiculmis* 92; *fistulosa* 85, 92; *interstincta* 92; *jelskiana* 92; *minima* 85, 92; *peruviana* 92; *pliccrhachis* 92; *retroflexa* 92
Eleusine indica 97
Elionurus: *adustus* 97; *muticus* 97; *rostratus* 97
Elodea granatensis 94
Enantia 359, fig. 359, 363; *lebrunii* fig. 359
Enckea 297; *martiana* 298
Endlicheria anomala 94
ENGLE, THELMA F., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 246–247
Enicosanthellum 356–360, 362, 363; *petelotii* 358, 363, 364; *plagioneurum* 366; *pulchrum* 358, 360, 367
Entada polyphylla 126
Enterolobium 167
Ephedranthus: *parviflorus* 126; *pisocarpus* 126
Epiphyllum phyllanthus 91
Eponymy of Truman G. Yuncker 218–220
Eragrostis: *hypnoides* 97; *maypurensis* 97
Ercilla 399, 400
Erechtites hieraciifolia 91
Erianthus trinii 85, 97
Ericaceae 10–16
Erigeron 424–428; *arenarioides* 424, 426; *cervinus* 426; **salmonensis 424–428**, figs. 425 & 426, map 427; *superbus* 154
Erigeron salmonensis (Asteraceae), a rare new species from Idaho, by Steven J. Brunsfeld & Guy L. Nesom 424–428
Eriocaulaceae 84, 93
Eriocaulon: *melanocephalum* 93; *steinbachii* 93
Eriochrysis: *cayennensis* 97; *warmingiana* 85, 97
Eriogonum contortum 154
Eriolaena 411
Eriope crassipes 94
Eriosema: *crinitum* 94; *obovatum* 94; *simplicifolium* 94; *stipulare* 94
Eriotheca: *globosa* 126; *gracilipes* 125
Erisma 100
Erythroxylaceae 93
Erythroxylum: *amazonicum* 126; *anguifugum* 128; *barbatum* 125; *campestre* 125; *citrifolium* 126; *daphnites* 93, 125; *deciduum* 126; *engleri* 126; *macrophyllum* 93, 126; *mucronatum* 126; *pelleterianum* 126; *squamatum* 127; *suberosum* 127; *subracemosum* 126
Eschweilera 135; *jacquelyniae* 132; *longipes* 126; *nana* 126; *neei* 132; *ovata* 132; *panamensis* 132; *parvifolia* 94; *pittieri* 132; *rodriguesiana* 132; *sessilis* 132
Eugenia 256; *biflora* 96; *florida* 96; *lambertiana* 96; *yunckeri* 219
Euphorbiaceae 1–9, 44–52, 93
Fabaceae 93–94, 351–355; Swartzieae 351–355
Fagaceae 219
Fallugia 337
Faramea: *calyciflora* 126; *capillipes* 126; *sessilifolia* 126; *torqueta* 127
FARBER, ROBERT H., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 247
Fendlera 337, key 337
Fendlerella 337, key 337; *utahensis* 337
Ferdinandusa speciosa 126
FERREIRA, C. A. CID. See Ackerly, Thomas, Ferreira & Pirani 113–128
Festuca ingrata var. *nudata* 152, 154
Ficus obtusifolia 126
Fimbristylis: *annua* 92; *dichotoma* 92
Flabellophora 9
Flacourtiaceae 94
FLETCHER, ROBERT I., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 247–248
Forest-cerrado transition zone in southern Amazonia: results of the 1985 Projeto Flora Amazônica expedition to Mato Grosso, by David D. Ackerly, Wm. Wayt Thomas, C. A. Cid Ferreira & José R. Pirani 113–128
Foreword to Truman G. Yuncker Festschrift, by Patricia K. Holmgren & Noel H. Holmgren 192
Fosberg, F. Raymond fig. 226
FOSBERG, F. RAYMOND, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 248–249
FRYXELL, PAUL A. See Koch & Fryxell 109–112
Fuirena umbellata 92
Fusaea 360
Galeandra lacustris 96
Galium flaviflorum 154
Garuga 17–19

Gaultheria 10–16; *alnifolia* 15–16, var. *alnifolia* key 16, var. **grata** 10, **15**, 16, key 16; *buxifolia* 13–14, var. *buxifolia* 13, key 13, var. **elassantha** 10, **13**, key 14, var. **secunda** 10, **13**, key 14; *elassantha* 13; *elliptica* 16; *eriophylla* 15, var. *eriophylla* 15, var. **mucronata** 10, **15**; *grata* 15, 16; *lanigera* 14, var. *lanigera* key 14, var. **rufolanata** 10, **14**, key 14; *mucronata* 15; *oreogena* 11; *remyana* 15; *revoluta* 14; *rufolanata* 14; *sclerophylla* 10–13, var. **hirsuta** 10, **11**–13, key 11, fig. 12, var. *sclerophylla* 11, key 11; *secunda* 13; **serrata** 10, **16**; *strigosa* 14–16, var. **revoluta** 10, **14**, key 15, var. *strigosa* key 15
Genipa americana 87, 99, 127
Gentianaceae 94
Geophila repens 99
Geranium: *cowenii* 154; *gracilentum* 154
Gesneriaceae 94
Gilesia 404, 413
GILLUM, JEANNE SMITH, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 249–250
Gisekia 399
Glinus radiatus 90
Glossarion 35, 38–40, key 39; **bilabiatum** 35, **39**, key 39, 40; *rhodanthum* 38–40, key 39, var. *bracteatum* 40
Glossopetalon nevadense 427
Gongylolepis 35, 38
Goniothalamus 363
GOODE, JEANNE—book review of *Asa Gray. American Botanist, Friend of Darwin*, by A. Hunter Dupree 163
———.—book review of *The American Gardener. A Sampler*, edited by Allen Lacy 423
———.—book review of *The Gardener's Labyrinth*, by Thomas Hill 142
———, The Yunckers of Greencastle 193–210
Gossypium stocksii 103
Graffenrieda: *limbata* 126; *weddellii* 85, 95
Grammitis 390
GRAY, WILLIAM D., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 250–251
Grias cauliflora 132
GRIMES, JAMES W.—book review of *A Revision of the Genus Lespedeza* section *Macrolespedeza* (Leguminosae), by Shinobu Akiyama 183–184
Guaicaia 35, 38, 39; *bilabiata* 38, 39
Guarea pubescens 96
Guatteria 363; *foliosa* 127; *rigida* 126
Guayana Highland: Compositae 35–40; *Ternstroemia* 136–142
Guazuma: *tomentosa* 126; *ulmifolia* 87, 99, 127
Guettarda matogrossensis 128
GUINET, PHILIPPE, Pollen of *Obolinga zanonii* (Mimosaceae) 173–174
Gurania: *eriantha* 92; *spinulosa* 92, 127
Gustavia 131; *angusta* 132, 133; *angustifolia* 131–133; *dubia* 132; *superba* 132
Gymnocladus dioica 280
Gymnopogon 86, 97; *fastigiatus* 85, 97
Gynoxys dilloniana 33
HAASE, RAINER & STEPHAN G. BECK, Structure and composition of savanna vegetation in northern Bolivia: a preliminary report 80–100
Hackelia davisii 428
HAGEN, MARY SWAN, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 251
Halimolobos perplexa var. *lemhiensis* 428
HALLING, ROY E.—book review of *Ad Polyporaceae IV*, by E. J. H. Corner 9
Havardia 169
Hecistopteris pumila 390
Hedyotis centranthoides f. *yunckeri* 220
HEISER, CHARLES B., JR., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 252
Heisteria: *barbata* 127; *nitida* 96; *ovata* 127
Heliconia 87; *psittacorum* 94
Heliconiaceae 94
Helicteres pentandra 99
Heliotropium lagoense 85, 91
Helmiopsis 411
Hemicrepidospermum 19
Hemionitidaceae 89
Henrietella ovata 126
Henriettea 95
Hermannia 404, 406, 407, 413; *corymbosa* 415, 416; *texana* 405, 413
Herpestes: *myriophylloides* 99; *reflexa* 99
Heteranthera reniformis 98
Heteroporus 9
Heteropterys: *coriacea* 95; *laurifolia* 87, 95
Heuchera grossulariifolia 427, 428
Hevea 122
Hibiscus 95, 185; sect. *Furcaria* 149; *furcellatus* 95
Himatanthus sucuuba 90
Hippocrateaceae 94
Hirtella: *burchellii* 127; *glandulosa* 117, 122, 127; *gracilipes* 126; *piresii* 127; *racemosa* var. *racemosa* 127; *triandra* 87, 91
Hispaniola: *Obolinga* 167–172
HIXSON, JEROME C., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 252–255
HOLMGREN, NOEL H. See P. K. Holmgren & N. H. Holmgren 192
——— & PATRICIA K. HOLMGREN, A taxonomic study of *Jamesia* (Hydrangeaceae) 335–350
HOLMGREN, PATRICIA K. See N. H. Holmgren & P. K. Holmgren 335–350
——— & NOEL H. HOLMGREN, Foreword to Truman G. Yuncker Festschrift 192
Holodiscus 337
Homolepis aturensis 97
Hosaka, E. Y. fig. 226
Hydrangeaceae 335–350
Hydrocharitaceae 94
Hydrolea spinosa 94
Hydrophyllaceae 94
Hymenachne fig. 86; *amplexicaulis* 85, 97; *donacifolia* 85, 97
Hymenophyllum hirsutum 390
Hyparrhenia rufa 97
Hypolepis 390
Hyptis 94; *carpinifolia* 94; *conferta* var. *angustifolia* 94; *crenata* 94; *hirsuta* 94; *parkeri* 94; *paupercula* 94

Ichnanthus procurrens 97
Idaho: *Erigeron* 424–428
Ilex 85, 90; *affinis* 90; *guianensis* 90
Index to collectors of the Piperaceae represented in the T. G. Yuncker Herbarium of DePauw University, by Barbara Meurer-Grimes 285–296
Inga 173; *punctata* 173; *yunckeri* 219
Instructions to contributors 105–108
Ipomoea 75–79, 92; sect. *Quamoclit* 75–79; *coccinea* 75; **fissifolia** 75, **79**; *hederifolia* 75, 77–79, fig. 77, map 78; *longifolia* 403; *mauritiana* 92; **praemature 75**–79, figs. 76 & 77, map 78
Iridaceae 94
Irlbachia alata 94
Isachne polygonoides 97
Isostigma megapotamicum 126
Isothecium 42; *subseriatum* 43
Itinerary of Truman G. Yuncker's expeditions, by Barbara Meurer-Grimes 225–235
Ixora yunckeri 220
Jacaranda: *copaia* subsp. *spectabilis* 127; *cuspidifolia* 126; *mimosifolia* 91
Jamesia 335–350, keys 337 & 340; *americana* 335, 336, map 339, key 340, 340–348, figs. 342 & 345, subsp. *americana* 338, key 341, var. *americana* 335–338, map 339, 341–344, key 341, fig. 342, subsp. *californica* 336, 338, key 341, 346, 347, var. *californica* 336, 346, 347, var. *macrocalyx* 335, 336, 338, map 339, key 341, 344–347, fig. 345, var. *rosea* 335, 336, map 339, key 341, 344–348, fig. 345, f. *rosea* 346, f. *tristyla* 336, 341, var. **zionis** 335, 338, map 339, key 341, fig. 342, **344**, 347; *californica* 336, 346; *caplanii* 337; *macrocalyx* 336, 344; *obovata* 336, 349; *pauciflora* 349; **tetrapetala** 335, 337, 338, map 339, key 340, fig. 345, **348**–349
JOHNSON, DAVID M., Revision of *Disepalum* (Annonaceae) 356–378
———. See Callejas & Johnson 297–324
Justicia 379–384; sect. *Orthotactus* 383; **clivalis 379**–383, figs. 380 & 382; **irwinii** 379, fig. 380, **381**–384, fig. 382; *nodicaulis* 383
KENNEDY, HELEN & KENNETH NAGATA, *Calathea steyermarkii*, a new Venezuelan species in the Ornata group (Marantaceae) 164–166
Kielmeyera: *coriacea* 126; *corymbosa* 121, 126
Kitaibelia 149
KOCH, STEPHEN D. & PAUL A. FRYXELL, A new species of *Piriqueta* (Turneraceae) from Oaxaca, Mexico, with a key to the Mexican species of the genus 109–112
Koepper, James M. fig. 229
KOEPPER, JAMES M., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 256–257
Kotchubea insignis 127
KOWAL, ROBERT R., Chromosome numbers of *Asteranthos* and the putatively related Lecythidaceae 131–135
Kyllinga: *brevifolia* 83, 92; *odorata* 83, 92
Ladenbergia amazonensis 127
LADLEY, MARJORIE H., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 257
Laetia suaveolens 94
LAFUZE, H. HARVEY, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 257–258
Lamiaceae 94
Laplacea semiserrata 127
Larentia linearis 94
Lathyrus laetivirens 154
Lauraceae 94, 360
Lavatera 149, 150; *plebia* 149
Lecointea 351–355, key 352; *amazonica* 351, 352, key 352, map 354, 355; **marcano-bertii** 351, **352**–355, key 352, fig. 353, map 354; *ovalifolia* 351, key 352, 354; *peruviana* 351, var. **lasiogyne** 351, key 352, map 354, **355**, var. *peruviana* key 352, map 354, 355; *tango* 351
Lecythidaceae 94, 131–135; Foetidioideae 132, 133; Lecythidoideae 131–134; Napoleonaeoideae 131–133; Planchonioideae 131–133
Lecythis 131; *corrugata* 132; *lanceolata* 131, 133; *minor* 132; *tuyrana* 132; *usitata* 132
Lee, Betty-Jane Yuncker figs. 212 & 214
LEE, BETTY-JANE YUNCKER & BARBARA YUNCKER, Lives well-spent in science 211–215
Leersia hexandra 85, 97
Leguminosae 121, 170, 183–184, 229
Lentibulariaceae 94–95
LEÓN, BLANCA. See Young and León 388–395
Lepanthes yunckeri 219
Leptocoryphium lanatum 83, 97
Lespedeza 183–184; sect. *Macrolespedeza* 183–184; *formosa* 184
Lettowianthus 363
Leucothoë serrata 16
Licania 87; *apetala* 127; *blackii* 127; *gardneri* 126; *heteromorpha* var. *glabra* 87; *kunthiana* 127; *micrantha* 122, 127; *parvifolia* 87, 91; *sclerophylla* 127
Limnosipanea spruceana 127
Lindernia: *blancoi* 385, key 385; *crustacea* 99, 385, key 385; *microcalyx* 99; *thouarsii* key 385
Lindsaea: *divaricata* 89, 390–392; *lancea* 390, 391
Lipocarpha sellowiana 92
Lives well-spent in science, by Betty-Jane Yuncker Lee & Barbara Yuncker 211–215
Loganiaceae 95
Lomagramma 392; *guianensis* 390–393
Lomariopsis japurensis 390–393
Lomatium rollinsii 428
Lonchocarpus 355
Loranthaceae 95
Ludwigia 96; *nervosa* 96; *torulosa* 85, 96
Lupinus decumbens var. *argentatus* 152, 154
LUTEYN, JAMES L., New variety and nomenclatural changes in neotropical *Gaultheria* (Ericaceae) 10–16
Luziola peruviana 85, 97
Lycianthes asarifolia 99
Lycopodiaceae 89
Lycopodiella: *caroliniana* 85, 89; *cernua* 85, 89, 390, 391
Lythraceae 95
Mabea 93; *inodorum* 93
Macairea thyrsiflora 83, 84, 95

Machaeranthera glabella 154
Machaerium acutifolium 94
Macroptilium gracile 94
Macrosamanea 181
Magnolia 172
Magonia pubescens 126
MAGUIRE, BASSETT, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 258
Malanea macrophylla 127
Malope 149
Malpighiaceae 95
Malva 149
Malvaceae 95, 143–151, 184–185; Malveae 143, 149; Malvinae 143, 149, 150
Malvaviscus 185
Manihot esculenta 123
MANTE, SETH—book review of *Handbook of Plant Cell Culture: Crop Species. Volume 3,* edited by P. V. Ammirato, D. A. Evans, W. R. Sharp & Y. Yamada 159
Maquira coriacea 127
Marantaceae 95, 164–166
Mariscus flavus 92
Marmaroxylon 173, 174
MARTÍNEZ G., JULIETA & J. ANDREW MCDONALD, *Nowickea* (Phytolaccaceae), a new genus with two new species from Mexico 399–403
Mascagnia: *cordifolia* 127; *schunkei* 127
Matayba: *arborescens* 127; *guianensis* 99, 128; *inelegans* 127; *purgans* 127; *spruceana* 127
Matisia 61, 70
Mauritia flexuosa fig. 84, 85, 90
Mauritiella aculeata 85, 90
Mayaca 85; *fluviatilis* 86, 95
Mayacaceae 95
MCCLURE, LOIS CARTER, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 258–259
MCDONALD, J. ANDREW. See Martínez G. & McDonald 399–403
Melastomataceae 95–96
Meliaceae 96
Melochia 404–423; sect. *Melochia* 404, 406, 407, 413; sect. *Moluchia* 404, 406, 407, 413; sect. *Mougeotia* 404–406, 413; sect. *Physodium* 404–423, map 405, figs. 406 & 412, key 414–415; sect. *Pyramis* 404; sect. *Visenia* 404–411; *adenodes* 404–406, map 405, fig. 406, 408–413, fig. 412, key 415, 416–421, var. *acuminata* 414, 417, 419, var. *adenodes* 419, 421; *arenosa* 406; *bernoulliana* 405, 406; *borbonica* 413; *bracteosa* 413; *compacta* 408, 409; *corchorifolia* 413; *corymbosa* 404–406, map 405, fig. 406, 408, 409, 411–417, key 414, 421; *degeneriana* 408–411; *dubia* 412, 415; *graminifolia* 99, 407; *kerriifolia* 405; *longepetiolata* 406; *lupulina* 406; *melissifolia* 413; *mollis* 405, 406; *morongii* 406; *nodiflora* 405; *nudiflora* 405; **oaxacana** 404–406, map 405, fig. 406, 411–413, fig. 412, key 415, 419, **420**–421, fig. 421; *odorata* 408, 409; *pilosa* 406; *rhodocalyx* 414, 415, 417; *simplex* 407; *thymifolia* 406; *tomentella* 405; *tomentosa* 407; *ulmifolia* 405; *umbellata* 408, 409; *villosa* var. *villosa* 99
Mendoncia 329–334; **antioquiensis** 329, **331**–334, key 331, figs. 332 & 333; *aspera* key 329; *bivalvis* key 329; *caquetensis* key 330; *coccinea* key 330, var. *elliptica* key 330, var. *spatatteria* key 330; *cordata* key 329; *cuatrecasasii* key 330; *garciae* key 330, 331; *gilva* key 330; *glabrescens* key 331; *glomerata* key 330; *gracilis* key 330; *lasiophyta* key 329; *lindavii* key 329; *litoralis* key 330; *microchlamys* key 330; *mirabilis* key 329; *mutisii* key 330; *odorata* key 330; *pedunculata* key 329; *pennellii* key 331; *phalacra* key 330; *pilosa* key 329; *puberula* key 330; *rosea* key 330; *speciosa* key 329; *spraguei* key 329; *sprucei* key 330; *tetragona* key 330, 334; *trichota* key 329; *villosa* key 330; **zarucchii** 329, key 330, **331**, figs. 332 & 333
Menispermaceae 96
Menyanthaceae 96
Mertensia myosotifolia 154
Mesechites 90; *sanctae-crucis* 90
Mesosetum penicillatum 83, 97
Metaxya rostrata 390
Metrodorea flavida 127
MEURER-GRIMES, BARBARA, Editor, Bibliography of Truman G. Yuncker 221–224
———, Index to collectors of the Piperaceae represented in the T. G. Yuncker Herbarium of DePauw University 285–296
———, Itinerary of Truman G. Yuncker's expeditions 225–235
Mexico: *Ipomoea* 75–79; *Melochia* 404–423; *Nowickea* 399–403; *Piriqueta* 109–112; *Senecio* 43
Miconia 83, 87; *albicans* 95; *cubatanensis* 126; *egensis* 127; *elegans* var. *latialata* 126; *prasina* 128; *pyrifolia* 127; *rufescens* 83, 95; *splendens* 128; *stenostachya* 95, 128; *tetrasperma* 95; *tiliifolia* 95; *tomentosa* 127
Microgramma: *ciliata* 390, 391; *geminata* 390–393
Microporellus 9
Mikania psilostachya 91
MILLER, REGIS B., Wood anatomy of *Obolinga* (Mimosaceae) 178–182
Mimosa 172; *debilis* 85, 86, 96; *pellita* 87, 96
Mimosaceae 96, 167–182, 219; Acacieae 173; Ingeae 167–174, 178, 179; Mimoseae 173
Mimulus key 386; *puberulus* 154
Mirabilis macfarlanei 428
Mollinedia 96
Monimiaceae 96
Moraceae 96, 185
MORI, SCOTT—book review of *The Short-tailed Fruit Bat,* by Theodore H. Fleming 185–186
———.—book review of *Tropical Forest and its Environment. Second Edition,* by K. A. Longman & J. Jenik 328
MOSES, SHIRLEY A., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 259–260
Mouriri: *acutifolia* 127; *nigra* 127; *pranceana* 128; *subumbellata* 127
Moutabea longifolia 98
Musci 41–43
Myrcia yungasensis 96

Myristicaceae 96, 160–163
Myrsinaceae 219
Myrtaceae 96, 185, 219
NAGATA, KENNETH. See Kennedy & Nagata 164–166
Nannorrhops 103
Napaea 149, 150
Napoleonaea 131, 134; *leonensis* 132; *vogelii* 132
Naucleopsis ternstroemiflora 127
Neckera: *subseriata* 41–43; *subserrata* 41–43
Nectandra amazona 94
Neostenanthera 359, fig. 359, 363; *hamata* fig. 359
Nephelea cuspidata 390
Nephrolepis: *pectinata* 390; *rivularis* 390
NESOM, GUY L. See Brunsfeld & Nesom 424–428
New species of *Ipomoea* section *Quamoclit* (Convolvulaceae) from the Caribbean and a new combination for a Mexican species, by James E. Eckenwalder 75–79
New species of *Justicia* (Acanthaceae) from the Planalto of Brazil, by Dieter C. Wasshausen 379–384
New species of *Mendoncia* (Acanthaceae) from Colombia, by Dieter C. Wasshausen 329–334
New species of *Pagamea* (Rubiaceae) from the Brazilian Guayana, by Brian M. Boom 129–130
New species of *Piriqueta* (Turneraceae) from Oaxaca, Mexico, with a key to the Mexican species of the genus, by Stephen D. Koch & Paul A. Fryxell 109–112
New species of *Symplocos* (Symplocaceae) from northwestern Peru, by Abundio Sagásteguí-Alva & Michael O. Dillon 32–34
New species of *Ternstroemia* (Theaceae) from the Guayana Highland, by Brian M. Boom 136–142
New variety and nomenclatural changes in neotropical *Gaultheria* (Ericaceae), by James L. Luteyn 10–16
Nomenclatural rearrangements in *Antennaria neodioica* and *A. howellii* (Asteraceae: Inuleae: Gnaphaliinae), by Randall J. Bayer 396–398
Notes on the Compositae of the Guayana Highland—I. A new species of *Stomatochaeta* and the reduction of *Guaicaia* to *Glossarion* (Compositae: Mutisieae), by John F. Pruski 35–40
Nowickea 399–403; **glabra** 399, 400, key 400, fig. 402, **403**; **xolocotzii** 399, **400**, key 400, fig. 401, 403
Nowickea (Phytolaccaceae), a new genus with two new species from Mexico, by Julieta Martínez G. & J. Andrew McDonald 399–403
Nymphaea blanda 96
Nymphaeaceae 96
Nymphoides humboldtianum 96
Obolinga 167–169, **170–182**; **zanonii** 167, figs. 168 & 169, **170–175**, fig. 176, 178, 179, figs. 180 & 181
Obolinga, a new genus of Mimosaceae tribe Ingeae from Hispaniola, by Rupert C. Barneby 167–172
Obolinga (Mimosaceae)—its natural history, by Thomas A. Zanoni 175–177
Ochnaceae 96
Ocotea gracilis 87, 94
Olacaceae 96
Olyra ecaudata 97
Onagraceae 96
Orchidaceae 96, 219
Orophea 362
Orthopappus angustifolius 91
Oryctanthus florulentus 95
Oryza latifolia 85, 97
Oswald, John W. fig. 261
OSWALD, JOHN W., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 260–262
Otachyrium versicolor 85, 86, 97
Ottonia 297; *albopunctata* 298; *angustifolia* 298; *armondii* 298; *carpinifolia* f. *hirtipedicellata* 298; *colliculorum* 298; *corei* 298; *cowanii* 298; *leptostachya* var. *glandulosa* 298; *loefgrenii* 298; *mexiae* 298; *mosenii* 298; *peruibensis* 298; *propinqua* f. *longiracemosa* 298; *riofeioana* 299; *sampaioi* 299; *santa-annae* 299; *villosa* 299
Ouratea 96
OVERMAN, SALLY POPE, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 262
Oxycaryum cubensis 92
Paepalanthus amoenus var. *bolivianus* 84, 85, 93
Pagamea 129–130; *anisophylla* 129; **aracaënsis 129**, fig. 130
Palicourea: *coriacea* 128; *corymbifera* 127; *crocea* 128; *grandifolia* 127; *rigida* 128; *triphylla* 127
Palmae: See Arecaceae
Panama: *Quararibea* 61–74
Panicum: *cayennense* 97; *crusgalli* var. *muticum* 153; *dichotomiflorum* 97; *laxum* 97; *parvifolium* 97; *pilcomayense* 97; *pilosum* 97; *scabridum* 86, 97; *stenodoides* 97; *stramineum* 97
Panopsis rubescens 98
Papaveraceae 360
Paragonia pyramidata 128
Paraprotium 17, 20, 24; *amazonicum* 21, 25; *ferrugineum* 21; *nitidifolium* 21, 25; *vestitum* 20, 21, 24
Paratheria 85–87; *prostrata* 85, fig. 86, 97
Paratrichaptum 9
Parinari obtusifolia 126
Parkia: *multijuga* 122, 127; *pendula* 122, 127
Paspalum 98; sect. *Ceresia* 97; *acuminatum* 97; *conjugatum* 97; *hyalinum* 97; *ionanthum* 83, 98; *longiligulatum* 98; *notatum* 98; *orbiculatum* 85, 98; *pectinatum* 98; *pictum* 98; *plicatulum* 98; *repens* 98; *virgatum* 85, 98
Passifloraceae 97
Passiflora nigradenia 97
Paullinia: *bilobulata* 99; *boliviana* 99; *obovata* 99; *pachycarpa* 127; *pinnata* 128; *sphaerocarpa* 99

Pavonia 185; *angustifolia* 86, 95
Pecluma eurybasis 390
Peixotoa cordistipula 126
Peltigera: *apthosa* 188; *canina* 188; *rufescens* 188
Peltodon 94
Peperomia 201, 202, 214, 221–224, 226, 227, 232, 248, 252, 256, 258, 271, 297, 299–309; *abnormis* 299; *acreana* 299; *adsurgens* 299; *aggravescens* 299; *aguabonitensis* 299; *albertiana* 299; *alternifolia* 299; *amnicola* 299; *angularis* var. *noveninervia* 299; *arbuscula* 299; *arenillasensis* 299; *argumentosa* 299; *armondii* 299; *attenuata* 299, var. *roseispica* 299, var. *taveuniana* 299; *australana* 299, var. *ovalilimba* 300; *blackii* 300; *blanda* var. *sericea* 300; *boraborensis* 300; *bradei* 300; *caducipilosa* 300; *calophylla* 300; *campii* 300; *campinasana* 300, var. *subopposititifolia* 300; *cangrejalana* 300; *carnosa* 300; *castelosensis* 300; *chimantana* 300; *christophersenii* 300; *ciliifolia* 300; *circinata* var. *parvifolia* 300; *circulifolia* 300, var. *eciliata* 300, var. *flava* 300; *cladara* f. *ciliata* 301; *clivicola* 301; *clivigaudens* 301; *collocata* 301; *condormiens* 301; *conocarpa* 301; *cordigera* var. *pililamina* 301; *cowanii* 301; *curtispica* 301; *damazii* 301; *dantoana* 301; dawsonii 301; *decora* var. *pilosa* 301; *defluens* 301; *degeneri* 301; *delicatula* 301; *diaphana* 301, f. *major* 301, f. *minor* 301; *dichotoma* 302; *disjunctiflora* 302; *districha* 302; *dolabriformis* var. *confertifolia* 302; *duartei* 302; *ebingeri* 302; *eburnea* var. *robustior* 302; *egleri* 302; *endlicheri* var. *fijiana* 302; *erikii* 302; *eripipunctulata* 302; *expallescens* var. *brevipilosa* 302; *filici-decorans* 302; *flavida* 302, var. *pubinervis* 302; *flexinervia* 302; *flexuosa* 302; *floresensis* 302; *fluviatilis* 302; *forbesii* 302; *fuscipunctata* 303; *gibbsiae* 303; *glabripes* 303; *glareosa* 303; *gracilicaulis* 303; *guttulata* var. *puberulenta* 303; *hendersonensis* 303; *hintonii* 303; *hirtellicaulis* 303; *hispiduliformis* var. *ciliosa* 303; *huahinensis* var. *tahaensis* 303; *hydrocotyloides* var. *prolifera* 303, var. *setosa* 303; *ibiramana* 303; *inaudax* 303; *josei* 303; *kalihiana* 303; *kandavuana* 303; *koepperi* 303; *kokeana* 303; *lancetillana* 304, var. *spathifolia* 304; *lasiostigma* 304, var. *tomaniviensis* 304; *laudabilis* 304; *ligustrina* var. *oopuolana* 304; *lilifolia* 304, 306, var. *honokahauana* 304; *loefgrenii* 304; *lyman-smithii* 304, var. *macrophylla* 304; *mala* 304; *mandonii* 304; *meridana* 304; *mollipubis* 304; *mollisoides* 304; *montis-verticis* 304; *muralis* 304; *namosiana* 304; *nandalana* 304; *nandarivatensis* 304; *neblinana* 305; *nebuligaudens* 305; *nilssonii* 305; *nodosa* 305; *novella* 305; *oahuensis* var. *st.-johnii* 305; *oblongibacca* var. *macrophylla* 305; *opaca* var. *ciliata* 305; *orbiculimba* var. *mathuataensis* 305; *ornata* 305; *ouabianae* 305; *pallida* var. *niueana* 305; *panamensis* var. *brevibacca* 305; *parhamii* var. *glabra* 305; *pellucidoides* 305; *perciliata* 305; *pereirae* 305, var. *hirtulicaule* 305; *persuculenta* 305; *petenensis* var. *hondurensis* 305; *philipsonii* var. *panamensis* 306; *pilostigma* 306; *piresii* 306; *pluvigaudens* 304, 306; *praeteruentifolia* 306; *proctori* 306; *prolifera* 306; *pseudocordata* 306; *pubipeduncula* 306; *punctulata* 306; *purpurinodis* 306; *quadrifolia* var. *angustata* 306; *radicosa* 306; *raivavaeana* 306, var. *rimatarana* 306, var. *tubuaiana* 306; *rechingerae* var. *aopoana* 306, var. *subrepens* 306; *reflexa* var. *geraënsis* 306; *retivenulosa* 306; *rhodophlebia* 307; *rinconensis* 307; *rio-cangrejalensis* 307; *riparia* 307; *ripicola* 307; *rizzinii* 307; *romaensis* 307; *rostulatiformis* 307; *rubefacta* 307, var. *cangrejalana* 307, var. *reducta* 307; *rurutana* 307; *st.-johnii* 307; *santiagoana* 307; *schwackei* 307; *scutifolia* 307; *simulans* 307; *sneidernii* 307; *steyermarkii* 307; *stilifera* var. *nana* 307; *suavis* var. *hondurensis* 308; *subemarginata* 308; *subgeminispica* 308; *subopposititifolia* 308; *subpetiolata* 308; *subpilosa* 308; *subretusa* 308; *subroseispica* 308; *subrubricaulis* 308; *subternifolia* 308; *tenuilimba* 308; *tetraphylla* f. *protractifolia* 308; *tillettii* 308; *transparens* var. *spissiflora* 308; *trapezoidalis* 308; *tremulaeformis* 308; *trichoclada* 308; *trinervis* var. *subnudicaulis* 308; *trukensis* 308; *trumanii* 219, 308; *tuberculata* 309; *ubatesusanensis* 309; *ulei* 309; *umbrigaudens* 309; *venusta* 309; *villarrealii* 309; *vitilevuensis* 309; *wagneri* 309; *waikamoiana* 309; *wedelii* 309; *wilderi* 309; *woytkowskii* 309; *wurdackii* 309; *yojoana* 309; *yousei* 309; *yunckeri* 219, 309
Peraphyllum 337
Peritassa: *dulcis* 87, 94; *laevigata* 94
Peru: *Symplocos* 32–34
Peruvian Amazon: pteridophyte species diversity 388–395
Peschiera affinis 90
Petersianthus macrocarpus 132
Petroselinum: *crispum* 233; *hortense* 233
Phenakospermum guyanense 122
Philadelphus 337, key 337; *lewisii* 427; *microphyllus* 337
Philonotis yunckereana 218
Phlox colubrina 428
Phoradendron: *crassifolium* 95, 128; *linearifolium* 95; *yunckeri* 220
Phreatia yunckeri 219
Phryganocydia corymbosa 91, 128
Phylacium 183
Phyllanthus: *hyssopifolioides* 93; *stipulatus* 93
Physocalymma scaberrimum 87, 95
Physodium 407, 413, 414; *adenodes* var. *acuminatum* 413; *corymbosum* 413–415, 417, 418, var. *acuminatum* 417; *dubium* 412, 414, 415
Phytolacca 399, 400; subg. *Phytolacca* 400
Phytolaccaceae 399–403; Phytolaccoideae 399
Picramnia 128; *latifolia* 127; *spruceana* 127
Piper 186, 223, 224, 229, 241, 248, 256, 271, 297, 309–327; *abbadianum* 309; *achupallasense* 309; *acreanum* 309; *actae* 309; *acutilimbum* 310; *addisonii* 310; *aequale* var. *hirti-*

nervulum 310; *agostinii* 310; albanense 310; *albiciliatum* 310; *amapense* 310; *amoenum* 310; *amparoense* 310; *anomalum* 310; *anonifolium* f. *angustifolium* 310, f. *parvifolium* 310; *anostachyum* 310; *apertum* 310; *apiculatum* 310; *araquei* 310; *archidonense* 310; *arenicola* 310; *aristeguietae* 310; *artanthe* var. *grandifolium* 310; *asterostigmum* 310; *asterotrichum* 327; *atrichopus* var. *arborescens* 311; *auristellanum* 311; *auritilaminum* 311; *auritilimbum* 311; *azuaiense* 311; *baezense* 311; *barkleyi* 311; *begoniiforme* 311; *bellidifolium* 311; *belloi* 311; *belterraense* 311; *boquetense* 311; *brachipilum* 327; *brachypetiolatum* 311; *brachypodon* var. *hirsuticaule* 311; *brachystylum* 311; *bradei* 311; *brevesanum* 311; *cachimboense* 311; *cajamarcanum* 311; *caldense* 311; *callosum* var. *franciscoanum* 312; *calvescens* var. *aguananum* 312, var. *cangrejalense* 312, var. *pedunculatum* 312, var. *potrerillosense* 312; *camiloi* var. *glabratum* 312; *campii* 312; *capillipes* var. *glabratum* 312; *caracolanum* 312; *carniconnectivum* 312; *castelosense* 312; *caucaense* 312; *cavalcantei* 312; *cernuum* var. *glabricaule* 312; *chimantanum* 312; *chimborazoense* 312; *chumboense* 312; *coariense* 312; *concinnum* 312; *concretiflorum* 312; *confusum* var. *latilimbum* 313; *conquistanum* 313; *corcovadensis* var. *petiolatum* 313; *coyolesense* 313; *crassicaule* 313; *crassipedunculum* 313; *cubataonum* 313; *dactylostigmum* 313; *dawsonii* 246; *deamii* var. *yojoanum* 313; *densiciliatum* 313; *diffundum* 313; *diguaense* 313; *dimorphotrichum* 313; *distigmatum* 313; *dodsonii* 313; *dolichotrichum* 313; *duckei* 313; *duidaense* var. *eciliatum* 313; *dukei* 313; *durilignum* 313; *echinocaule* 314; *edwallii* 314; *elasmophyllum* 314; *ellipticifolium* 314; *emmerichianum* 314; *emygdioi* 314; *evulsipilosum* 314; *falcispicum* 314; *falculispicum* 314; *fanshawei* 314; *faroense* 314; *faviculiferum* 314; *fraguanum* var. *viride* 314; *froesii* 314; *fulgidum* 314; *furcatipilosum* 314; *gaudichaudianum* f. *argentinum* 314, var. *minus* 314; *gaumeri* 314; *geniculatum* f. *puberulum* 315; *glaziovii* 315; *goeldii* 315; *goesii* 315; *graciliramosum* 315; *gracillimum* var. *dantoense* 315; *grande* var. *puberulentum* 315; *guahamense* var. *glabrum* 315; *gutierrezii* 315; *hartii* 315; *hastularum* var. *puberulentum* 315; *hatschbachii* 315; *heterocarpum* var. *subglabricaule* 315; *hoehnei* 315; *holtonii* var. *parvispicum* 315; *huberi* 315; *humaytanum* 315; *humillimum* 315; *ilheusense* 315; *inauspicatum* 316; *inconsumptum* 316; *isernii* 316; *ivonensis* 316; *jamaicense* f. *cuneatum* 316; *javariense* 316; *jubimarginatum* 316; *koepperi* 316; *kuhlmannii* 316; *laevicarpum* 316; *lancilimbum* 316; *lemaense* 316; *lenormandianum* 316; *leticianum* 327; *limai* 316; *limosum* 316; *longestylosum* 316; *longispicum* var. *villipetiolatum* 316; *lunulibracteatum* var. *villirameum* 316; *macapaense* 316; *macedoi* 316, f. *longispicum* 316; *macropunctatum* 317; *macrotrichum* 317; *mamorense* 317; *maranyonense* 327; *mastersianum* 317; *mazamariense* 317; *mediocre* 317; *meritum* 317; *mikanianum* f. *clausum* 317, *var. peltatum* 317; *millegranum* 317; *minutipetiolatum* 317; *moense* 317; *monostigmum* 317; *montealegreanum* 317; *monteverdeanum* 317; *moscopanense* 317; *mosenii* 317; *mourai* 317; *multinervium* var. *paralense* 317; *multinodum* 317; *multitudinis* var. *latum* 318; *neblinanum* 318; *nebuligaudens* 318; *nemorale* 318; *nigribaccum* 318; *niteroiense* 318; *nudilimbum* 318; *obidosanum* 318; *oblancifolium* 318; *obtusilimbum* 318; *oroense* 318; *ottonoides* 318; *ovalifolium* 318; *ovatilimbum* 318, var. *parvifolium* 318; *paludicola* 318; *pandoense* 318; *paracaimanum* 318; *paraguassuanum* 319; *paranapuranum* 319; *pardinum* 319; *parianum* 319; *parvibracteum* 319; *patulipilum* 319; *paucipilosum* 319; *payanum* 319; *pellitum* 319; *pendulirameum* 319; *perbrevicaule* 319, var. *subglabrilimbum* 319; *perbrevispicum* 319; *perlongispicum* 319; *permucronatum* 319; *perstrigosum* 319; *pilosissimum* 319; *pilovarium* 319; *piresii* 319; *pitalitoense* 319; *plurinervosum* 320; *politii* 320, subsp. *sipapoense* 320; *praeclarum* 320; *praemollitum* 320; *prietoi* 320; *productispicum* 320; *pseudoarboreum* 320; *pseudoarmatum* 320; *puberuliciliatum* 320; *pubisubmarginalum* var. *ubanum* 320; *puente-altoanum* 320; *quadratiovarium* 320; *ramosense* 320; *reciprocum* 320; *reitzii* 320; *retropilosum* 320; *rio-cauchosanum* 320; *rioense* 320; *rio-nechianum* 320; *ripagaudens* 320; *rivinoides* f. *magnifolium* 321; *roblalense* 321; *robustipedunculum* 321; *roseovenulosum* 321; *rufipilum* 321; *sacchamatesense* 321; *sagax* 321; *saldanhai* 321; *sampaioi* 321; *scabriseptum* var. *reductum* 321; *schultesii* 321; *scobinifolium* 321; *scutelliferum* var. *aureum* 321; *scutifolium* 321; *scutispicum* 321; *sebastianum* 321; *semiplenum* 321; *silvivagum* f. *peruvianum* 321; *sneidernii* 321; *snethlagei* 321; *soledadense* 327; *solutidrupum* 322; *sotai* 322; *stellipilum* 327; *sternii* 322; *stiliferum* 322; *striatipetiolatum* 322; *subaequilaterum* 322; *subaerophilum* 322; *subbrunneispicum* 322; *subcinereum* var. *parvifolium* 322; *subcrassifolium* 322; *subduidaense* 322; *subglabrifolium* 322; *subpurpureum* 322; *subrugosum* 322; *subsilvestre* 322; *substilosum* 322; *suspectum* 322; *tachiranum* 322; *taperinhanum* 322; *tortivenulosum* var. *glabrum* 323; *translucens* 323; *tridentipilum* 327; *trigonodrupum* 323; **truman-yunckeri** 219, **325–327**, fig. 326; *tuberculatum* var. *cangrejalense* 323; *tumidipedunculum* 323; *uleanum* 323; *variabile* var. *obtentum* 323; *vellosoi* 323; *vermiculatum* 323; *via-chicoense* 323; *villalobosense* 323; *villarrealii* 323; *virgatum* 323; *vitaceum* 323; *viticaule* 323; *wedelii* 323, var. *retrohirsutum* 323; *woytkowskii* 323; *wurdackii* 323; *xapuryense* 324; *yanaconasense* var. *glabratum* 324; *yunckeri* 219; *yungasanum* 324

Piperaceae 185, 192, 196, 206–208, 213, 217, 219, 221–226, 231–234, 241, 243, 248, 258, 265, 269–271, 274–276, 285–327
Piperaceae types from the T. G. Yuncker Herbarium (DPU) now filed in the New York Botanical Garden Herbarium (NY), by Ricardo Callejas & David M. Johnson 297–324
PIRANI, José R. See Ackerly, Thomas, Ferreira & Pirani 113–128
Piriqueta 109–112; *caroliniana* 100; *cistoides* key 111; *mexicana* 111, key 111; **mortonii 109–111**, fig. 110, key 111
Pithecellobium 167, 178, 179, 181; *cauliflorum* 87, 96; *jupunba* 128; *longifolium* 127; *mangense* 127; *micranthum* 167; *multiflorum* 96
Pittosporaceae 220
Pittosporum yunckeri 220
Pityrogramma calomelanos 89, 390
Planchonia valida 132
Plathymenia reticulata 128
Platypodium elegans 128
Pleonotoma melioides 127
Pleurococcus 187
Pluchea sagittalis 91
Poaceae 97–98
Polemonium scopulinum 154
Pollen of *Obolinga zanonii* (Mimosaceae), by Philippe Guinet 173–174
Polyalthia 356, fig. 359, 360–363; *petelotii* 356, 363, 364; *plagioneura* 356, 358, 366; *pulchra* 356, 367, var. *angustifolia* 367; *rumphii* fig. 359
Polybotrya 393; *osmundacea* 390–393; *pubens* 390–394
Polygala: *glochidiata* 98; *hebeclada* 98; *leptocaulis* 98; *subtilis* 98; *timoutou* 98
Polygalaceae 98
Polygonaceae 98
Polygonum 98
Polylepis 11
Polypodiaceae 89
Polypodium 390; *fraxinifolium* 390; *laevigatum* 390
Pontederia: *cordata* 98; *subovata* 85, 86, 98
Pontederiaceae 98
POOR, VALUE M., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 262–264
POPE, SETH, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 264
Popowia 360
Porotrichum: *subseriatum* 43; *subserratum* 43
Potalia amara 98
Potaliaceae 98
PRANCE, GHILLEAN T.—book review of *The Flowers of Paradise. The Institutionalized Use of the Drug Qat in North Yemen*, by John G. Kennedy 327
———.—book review of *The Useful Plants of India*, edited by Shri S. P. Ambusta 112
———.—book review of *The Wealth of India. A Dictionary of Indian Raw Materials and Industrial Products. Raw Materials Volume I: A*, edited by Shri Y. R. Chadha 112
Prestoea 172
Proteaceae 98
Protium 17–25, key 26–27; sect. *Icica* 19; sect. *Icicopsis* 19–21; sect. *Marignia* 19; sect. *Protium* 19; *altsonii* fig. 22; *apiculatum* 19–21, 25; *belemense* 24; *brasiliensis* 126; *crenatum* 19; *divaricatum* 21; *ferrugineum* 21; *fimbriatum* 21, 25; *giganteum* 21; *guianense* 19; *heptaphyllum* 128; *icicariba* 128; *klugii* 23; **nitidifolium** 17, **25**; *occhionii* 23; *opacum* 19, 23; *paniculatum 21; paraense* 24; **pilosum** 17, 19–21, 23, **24**, 26; *pittieri* 23; *polybotryum* 19, subsp. *polybotryum* fig. 22; *reticulatum* 20, 21; *robustum* 21, fig. 22; *sagotianum* 19, 21; *spruceanum* 127; *subserratum* 19–21, key 27; *tenuifolium* 19, 21; *trifoliolatum* 19, 21, 23; *unifoliolatum* 19, 21; **vestitum** 17, **24–25**
PRUSKI, JOHN F., Notes on the Compositae of the Guayana Highland—I. A new species of *Stomatochaeta* and the reduction of *Guaicaia* to *Glossarion* (Compositae: Mutisieae) 35–40
Pseudelephantopus spiralis 91
Pseudobombax longiflorum 126
Pseudolmedia: *laevigata* 96; *murure* 126
Pseudosamanea 179
Pseudotsuga menziesii var. *glauca* 427
Psidium guineense 96
Psittacanthus cucullaris 95
Psoralea jamesii 336, 349
Psychotria: *acuminata* 99; *bahiensis* 127; *iodotricha* 127; *mapourioides* 99, 128; *poeppigiana* 128; *stipulosa* 127; *yunckeri* 220
Pteridium aquilinum 390, 391
Pteridophytes 89–90, 388–395
Pteridophyte species diversity in the central Peruvian Amazon: importance of edaphic specialization, by Kenneth R. Young & Blanca León 388–395
Pterodon pubescens 121, 126
Ptiloria pauciflora 349
Punicaceae 134
Puya hamata 33
Pyrostegia venusta 128
Qualea: *grandiflora* 87, 100; *multiflora* subsp. *pubescens* 100; *parviflora* 87, 100
Quamoclit 79; *fissifolia* 75
Quararibea 61–74; subg. *Archiquararibea* 61; *asterolepis* 73, 74; **aurantiocalyx** 61, **68–70**, 74; **costaricensis** 61, **70–74**, fig. 71; *funebris* 66, 74, subsp. *funebris* 70; **gomeziana 61–64**, fig. 62; *guianensis* 63; *parvifolia* 61–63; **pendula** 61, **64–66**, fig. 65; *penduliflora* 66; *platyphylla* 61, 63, 68, 74; **santaritensis** 61, **66–68**, fig. 67; *yunckeri* 68, 218
Quararibea (Bombacaceae): five new species from moist and wet forests of Costa Rica and Panama, by William S. Alverson 61–74
Quelchia 38
Quercus: *yousei* 246; *yunckeri* 219
Quiina: *paraensis* 127; *pteridophylla* 127
Racosperma 173
Randia: *formosa* var. *densiflora* 126; *spinosa* 128
Ranunculaceae 360
Razoumofskya cyanocarpa 154
Reimarochloa aberrans 98

Reviewers for volume 41 395
Review of *Lecointea* (Fabaceae: Swartzieae) in South America, by Rupert C. Barneby 351–355
Revision of *Disepalum* (Annonaceae), by David M. Johnson 356–378
Revision of *Melochia* section *Physodium* (Sterculiaceae) from Mexico, by Laurence J. Dorr & Lisa Barnett 404–423
Rhabdadenia pohlii 90
Rhaptopetalum 134
Rheedia 85, 91
Rhynchanthera: *bracteata* 85, 95; *grandiflora* 85, 96
Rhynchospora: *albescens* 92; *barbata* 92, 128; *brownii* subsp. *americana* 92; *candida* 92; *cephalotes* 92; *confinis* 92; *corymbosa* 85, 92; *exaltata* 126; *globosa* 83, 92, 128; *hirta* 83, 93; *marisculus* 128; *myosa* 93; *nervosa* 128, subsp. *nervosa* 93; *reptans* 127; *rugosa* 93, 128; *tenuis* subsp. *emaciata* 84, 85, 93; *trispicata* 85, 93; *velutina* 93; *viridi-lutea* 85, 93
Rhytachne rottboellioides 98
Ribes vallicola 154
RICE, MARION MCBURNEY, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 264–265
Riedleia 413, 415; *corymbosa* 415, 416
RODRIGUES, WILLIAM A., Two new neotropical species of *Compsoneura* (Myristicaceae) 160–163
ROGERSON, CLARK T.—book review of *Evolutionary Biology of the Fungi*, edited by A. D. M. Rayner, C. M. Brasier & David Moore 151
———.—book review of *Fungi in Biological Control Systems*, edited by M. N. Burge 398
———.—book review of *Microfungi on Miscellaneous Substrates: An Identification Handbook*, by Martin B. Ellis & J. Pamela Ellis 155
———.—book review of *The New Savory Wild Mushroom*, by Margaret McKenny & Daniel E. Stuntz. Revised and enlarged by Joseph F. Ammirati 177
Rosa: *bakeri* 154; *pandorana* 154
Rottboellia 98
Roupala montana 87, 98
Rourea puberula 92
Rubiaceae 33, 98–99, 121, 129–130, 220; Psychotrieae 129
RUDD, VELVA E., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 265
Rudgea: *crassiloba* 128; *goyazensis* 126; *lacerostipula* 126; *viburnoides* 126
Ruellia geminiflora 90
RUIZ, MARTAMÓNICA. See Borchsenius, Bernal & Ruiz 156–159
Ruprechtia brachysepala 98
Ryania speciosa 87, 94
Sabicea villosa 99
Sacciolepis myuros 84, 85, 98
Saccoloma inaequalis 390
SAGÁSTEGUI-ALVA, ABUNDIO & MICHAEL O. DILLON, A new species of *Symplocos* (Symplocaceae) from northwestern Peru 32–34
Sagittaria: *guyanensis* 85, 90; *rhombifolia* 85, 90, 128
St. John, Harold fig. 226
Salviniaceae 90
Samanea 179, 181
Sapindaceae 99
Sapium longifolium 93
Sapotaceae 185
Sarcorhachis 297; *schwackei* 324; *sydowii* var. *hirsuta* 324
Saurauia 28–31; ser. *Lanatae* 30, key 30; *biserrata* 30, key 31; *bullosa* 28, 30, key 31; **oroquensis 28**–30, fig. 29, key 30; *ursina* 30, key 31
Saurauia oroquensis, a new species of Actinidiaceae from Colombia, by Djaja Djendoel Soejarto 28–31
Sauvagesia: *deflexifolia* 96; *erecta* 96; *nana* 96
SCHEIN, RICHARD D., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 265–266
Schizachyrium: *sanguineum* 98; *sulcatum* 85, 86, 98
Schizaeaceae 90
Schizaea elegans 90
SCHMIDT, KATHRYN JUNG, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 266–267
Scirpus 93; *cubensis* 93
Scleria: *burchellii* 93; *cyperinoides* 93; *distans* 93; *eggersiana* 93; *hirtella* 93; *macbrideana* 93; *microcarpa* 93; *nutans* 93; *secans* 128
Scoparia dulcis 99
Scrophulariaceae 99, 385–387
Scytopetalaceae 134
Scytopetalum 134
Sebastiana corniculata 85, 93
Sedum leibergii 428
Selaginella: *diffusa* 390; *exaltata* 390; *fragilis* 390, 391; *praestans* 390–392; *yunckeri* 220
Selaginellaceae 220
Senecio: sect. *Palmatinervii* 43; *marquezii* 43
Senna: *alata* 128; *silvestris* 91
Serjania lethalis 126
Setaria: *geniculata* 98; *gracilis* 98
Several overlooked introduced Scrophulariaceae in tropical America, by Karl A. Vincent 385–387
Sida 95; *linifolia* 95; *rhombifolia* 95; *tuberculata* 95
Sidalcea 149, 150
Simaba: *cedron* 127; *pohliana* 126
Simarouba 99; *amara* 99, 128; *versicolor* 126
Simaroubaceae 99
SIMMONS, EMORY G., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 267–268
Sinningia incarnata 94
Sipanea: *acinifolia* 99; *hispida* 99
Siparuna guianensis 87, 96
Siphanthera foliosa 96
Smilacaceae 99
Smilax flavicaulis 99
SMITH, ALBERT C., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 268–270
SMITH, CHARLOTTE EPPLE, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 270

SOEJARTO, DJAJA DJENDOEL, *Saurauia oroquensis*, a new species of Actinidiaceae from Colombia 28–31
Solanaceae 99, 185
Solanum 186; *caricifolium* 99; *gomphodes* 99; *lanceifolium* 99; *stramonifolium* 99
Sorghastrum: nutans 98; *stipoides* 84, 98
Sorocea 96; *guilleminiana* 128; *muriculata* subsp. *muriculata* 127
South America: *Lecointea* 351–355
Spermacoce prostrata 99
Spilanthes nervosa 128
Spiranthera odoratissima 126
Spirogyra 187
Spondias mombin 128
Sporobolus indicus 98
Staurogyne diantheroides 90
Steccherinum 9
Steffensia 297; *insignis* 324
Stegnosperma 399
Stemodia 385; *pusilla* 385
Stenopadus 35, 37
Stephanomeria pauciflora 349
Sterculiaceae 99, 404–423; Byttnerioideae 408; Dombeyeae 410, 411; Fremontodendreae 405; Hermannieae 404–406, 410, 413
STEYERMARK, JULIAN A., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 270–271
Stomatochaeta 35–38, key 37–38; **acuminata 35–38**, fig. 36, key 38, 40; *colveei* 37, key 37; *condensata* 37, key 38; *crassifolia* 37, key 38; *cylindrica* 37, key 37; *cymbifolia* 37, key 37; *steyermarkii* 37, key 37
STONER, MARGARET EMILY MCGAUGHEY, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 271–272
Strickeria insecura 349
Structure and composition of savanna vegetation in northern Bolivia: a preliminary report, by Rainer Haase & Stephan G. Beck 80–100
Strychnos 95
Studies in Neotropical Burseraceae. II. Generic limits in New World Protieae and Canarieae, by Douglas C. Daly 17–27
Studies in Neotropical Piperaceae I. A new species of *Piper* from Ecuador, by Ricardo Callejas 325–327
Styrax 352, 355
Swartzia: *jorori* 126; *laurifolia* 127
Symmeria paniculata 98
Symplocaceae 32–34, 99
Symplocos 32–34, 99; subg. *Eusymplocos* 34; sect. *Symplocastrum* 34; subsect. *Pseudoalstonia* 34; *compacta* 34, key 34; **incahuasensis 32–34**, fig. 33, key 34; *nana* 34, key 34; *sandiae* 34, key 34
Syngonanthus: *anomalus* 85, 93; *caulescens* 93; *densiflorus* var. *glabrifolius* 84, 85, 93
Tabebuia: *caraiba* 126; *ochracea* 83, 87, 91
Talisia: *retusa* 127; *subalpens* 128
TAN, BENITO C., *Thamnobryum subserratum* and *T. subseriatum* (Musci) in Asia 41–43
Tapirira guianensis 90, 128
TATE, JAMES H., JR., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 273–274
Taxonomic revision of the *Antennaria rosea* (Asteraceae: Inuleae: Gnaphaliinae) polyploid complex, by Randall J. Bayer 53–60
Taxonomic study of *Jamesia* (Hydrangeaceae), by Noel H. Holmgren & Patricia K. Holmgren 335–350
Tectaria 390
Tephrosia rufescens 126
Ternstroemia 99, 136–142; **aracae 136–138**, fig. 137; **campinicola** 136, **138–140**, fig. 139; *duidae* 136, 138; **prancei** 136, **140–142**, fig. 141
Tetragastris 17–25, key 27; *altissima* 21, 127; *breviacuminata* 19, 21; *catuaba* 21; *hostmannii* 19; **occhionii** 17, fig. 22, **23**, 24; *panamensis* 21, fig. 22, 23; *pilosa* 24; *tomentosa* 23
Tetrameranthus 358
Tetraneuris pilosa 154
Thalia 85; *geniculata* 85, fig. 86, 95
Thamnium 42; *plicatulum* 42; *sandei* 41–43; *subseriatum* 41, 42; *subserratum* 43
Thamnobryum 41–43; *alopecurum* 41; *angustifolium* 41; *sandei* 41–43; **subseriatum** 41, **42**, 43; *subserratum* 41–43
Thamnobryum subserratum and *T. subseriatum* (Musci) in Asia, by Benito C. Tan 41–43
Theaceae 99, 136–142
Thelypodium repandum 428
Thelypteris 391, 392; subg. *Goniophlebium* 390; *lepieureii* 390, 391; *opulenta* 390, 391
Theobroma speciosa 127
THOMAS, WM. WAYT. See Ackerly, Thomas, Ferreira & Pirani 113–128
Thrasya: *petrosa* 83, 98; *trinitensis* 98
Three new species of *Dalechampia* (Euphorbiaceae) from Brazil, by Grady L. Webster 1–9
Three new species of *Dalechampia* (Euphorbiaceae) from Venezuelan Guayana, by W. Scott Armbruster 44–52
Tibouchina: *aspera* 96; *llanorum* 96; *martialis* 126; *spruceana* 86, 96
TIEHM, ARNOLD—book review of *Exploration of the Valley of the Great Salt Lake*, by Howard Stansbury 102–103
———.—book review of *The Exploring Expedition to the Rocky Mountains*, by John Charles Frémont 102–103
———, Vascular plants first described in Rydberg's *Flora of Colorado* 152–155
Tiliaceae 99
Tillandsia yunckeri 218
TIPPO, OSWALD, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 274–276
Tococa: *formicaria* var. *didymophysca* 126; *guianensis* 96; *subciliata* 96
Torenia key 386
Trachypogon 83, fig. 84, 87, 88; *montufari* 98; *plumosus* 83, 98
Trattinnickia 17, 18, 25, 26, key 26; *burserifolia* 127; *cuspidata* 25; *glaziovii* 127
Tributes to Truman G. Yuncker and Ethel Claflin Yuncker 236–284
Trichipteris nigra 390–392, 394
Trichomanes: *ankersii* 390; *crispum* 390; *elegans* 390, 391; *kapplerianum* 390; *pinnatum* 390–392; *polypodioides* 390; *rigidum* 390, 391

Trifolium: *oxyodon* 154; *salictorum* 155
Trisetum majus 155
TURNER, BILLIE L., Two new species of *Senecio* section *Palmatinervii* (Asteraceae) from eastern Mexico, Erratum 43
Turneraceae 100, 109–112
Turnera melochioides 100
Two new neotropical species of *Compsoneura* (Myristicaceae), by William A. Rodrigues 160–163
Two new species of *Senecio* section *Palmatinervii* (Asteraceae) from eastern Mexico, by Billie L. Turner, Erratum 43
Ulmus paucidentata 337
Uncornia guianensis 128
Urospatha 90; *sagittifolia* 90
Usnea 188
Utricularia 85, 95; *amethystina 94; breviscapa* 95; *foliosa* 95; *lloydii* 95; *subulata* 95
Uvaria 360, 363; *oblanceolata* 366; *petelotii* 366
Uvariopsis 360
VAN SEVENTER, RUTH E., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 276
Vascular plants first described in Rydberg's *Flora of Colorado*, by Arnold Tiehm 152–155
Venezuela: *Calathea* 164–166; *Dalechampia* 44–52
Verbenaceae 100
Vernonia 83, 87; *baccharoides* 91; *brasiliana* 91; *desertorum* 126; *herbacea* 126; *lehmannii* 91; *patens* 91; *rubricaulis* 91; *ruficoma* 91; *simplex* 91
Veronica 386; *arvensis* 386, key 386; *chamaedrys* 386; *didyma* 387; *javanica* 385, 386, key 386; *peregrina* key 386; *persica* 387, key 387; *plebeia* 385–387, key 387; *polita* 387, key 387
Vigna lasiocarpa 94
VINCENT, KARL A., Several overlooked introduced Scrophulariaceae in tropical America 385–387
Violaceae 100
Virola sebifera 87, 96
Viscaceae 220
Visenia corymbosa 415
Vismia 91; *minutiflora* 87, 91; *subcuneata* 91
Vochysia: *divergens* 100; *rufa* 100
Vochysiaceae 100
Wagner, Ken fig. 229
WAGNER, KEN, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 277–278
Waltheria 404, 406, 413
WASSHAUSEN, DIETER C., New species of *Justicia* (Acanthaceae) from the Planalto of Brazil 379–384
———, New species of *Mendoncia* (Acanthaceae) from Colombia 329–334
WEBSTER, GRADY L., Three new species of *Dalechampia* (Euphorbiaceae) from Brazil 1–9
Welch, Winona H. figs. 242 & 279
WELCH, WINONA H., Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 278–281
Whipplea 337, key 337
Winteraceae 360
Wood anatomy of *Obolinga* (Mimosaceae), by Regis B. Miller 178–182
Wulffia baccata 91
Xylopia: *amazonica* 122, 127; *aromatica* 87, 90, 128; *frutescens* var. *ferruginea* 128; *polyantha* 127; *sericea* 128
Xyridaceae 100
Xyris: *lacerata 100; laxifolia* var. *laxifolia* 100; *macrocephala* 100; *nilssonii* 100; *savannensis* 100
YOUNG, KENNETH R. & BLANCA LEÓN, Pteridophyte species diversity in the central Peruvian Amazon: importance of edaphic specialization 388–395
Youse, Howard fig. 228
YOUSE, HOWARD, Tribute to Truman G. Yuncker and Ethel Claflin Yuncker 281–284
Yuncker, Barbara figs. 212 & 214
YUNCKER, BARBARA. See Lee & Yuncker 211–215
Yuncker, Ethel Claflin figs. 189, 190, 196, 200, 206, 212, 214; tributes 236–284
Yuncker, Truman G.: bibliography 221–224; biographical essay 193–210; biographical sketch 216–218; eponymy 218–220; Festschrift 189–326; figs. 189, 190, 194–197, 199, 203, 204, 206, 207, 209, 212, 214, 226, 228, 229, 242, 243, 261, 277 & 279; foreword to Festschrift 192; frontispiece 189; itinerary of expeditions 225–235; tributes 236–284
Yunckeria 219; *amplifolia* 219
Yunckers of Greencastle, by Jeanne Goode 193–210
Zamia 100
Zamiaceae 100
ZANONI, THOMAS A., *Obolinga* (Mimosaceae)—its natural history 175–177
Zelkova 266
Zingiberaceae 100
Zygia 173, 174, 181

[BRITTONIA for October–December 1989 (41: 329–444) was issued 21 December 1989]